



# We Weigh The World

CAS PRODUCT CATALOG

ENGLISH

CAS

RETAIL WEIGHING SOLUTION™

# CL5200J SERIES

It's a must-have scale  
for your shop!



Commodity Name Display



Easy Loading Paper Cartridge



Direct PLU Keys & Function Keys



Scan with your smartphone  
to find more products



Flexible & Reliable network system (wired/wireless)

Easy loading paper cartridge

User friendly PC software

**CAS**

[www.globalcas.com](http://www.globalcas.com)

# CL5200J SERIES

## Feature

### Display - LCD

The LCD display is used for displaying 4 digits of tare value, 5 digits of weight value, 6 digits of unit price and 7 digits of total price. And the dot matrix LCD display is used for displaying commodity name up to 12 characters.



### Steady PLU keys

The embossing membrane keypad adds a steady look of CL5200J-P and CL5200J-B. Double-click function provides easy access to the key's secondary PLU, totaling in double of PLU key numbers.



### Paper cartridge

Cartridge loading type supports quick and easy replacement of new label roll.

- Various paper support
- Auto measuring system



### High speed printer

High speed thermal printer supports label/ticket printing. Guaranteed satisfaction with 100mm/s speed and 202dpi resolution.

### Various interface connections

It supports RS-232C, Cash drawer, wired/wireless Ethernet and USB host.



### Firmware update via USB

CL5200J is possible firmware update via USB memory.



## PC software : CL-Works

CL5200J supports PLU programming, store data, sales report, label editor and much more. You can control all the program data by CL-Works. CL5000, CL5200 and CL5500 share this software with CL5200J.



#### PLU Editor

- Enable easy control, of PLU
- Allows PLUs management by excel



#### Label Editor

- 10 modifiable label formats
- Easy downloading of label formats



#### Keypad Editor

- Easy to setup and download
- Key design color image Keypad supported

It's a must-have scale for your shop!

## Software

### Label Formats

There are 30 preset labels installed in the scale and additional 10 formats can be modified freely with CL-Works PC program.

- Continuous label/ticket
- UP to 120mm label length



### Barcode


Almost every conventional 1-Dimensional barcode types are available.

- UPC, EAN13, I2OF5, CODE128



## Network System

- TCP/IP communication protocol
- IEEE802.11g specification wireless network
- Wireless security : WEP 64/128, WPA, WPA2
- One to one & multi to multi & wired/wireless network
- Network structure for
  - Large, medium and small independent markets
  - Pre-pack and self-service counter
  - Hyper market



## Product Line up

- CL5200J is compatible with all CAS label printing scales in the same network

### CL5200J Series



CL5200J-B



CL5200J-P

### CL5200 Series



▶ CL5200-B



▶ CL5200-P

### CL5500 Series



▶ CL5500-B



▶ CL5500-P



▶ CL5500-R



▶ CL5500-H



▶ CL5500-S

# CL5200J SERIES

It's a must-have scale for your shop!



## Feature

- Memory capacity: 10,000 PLUs & 1,000 ingredients
- Supporting free label format design
- Cartridge-loading-type label installation
- 30 fixed format & 10 customized format design
- Various interface
- Firmware update via USB memory


## Option

- Wireless bridge card
- PC manager program (CL-Works)
- Platter with back rail

## Specification

Model	CL5200J	
Max.capacity(kg)	6/15	15/30
Readability(g)	2/5	5/10
External resolution	1/3,000 (dual interval)	
Display digit	4 / 5 / 6 / 7 (tare / weight / unit / total)	
Display type	7 Segment LCD + Dot Matrix	
Printing speed	Max. 100 mm/sec	
Printer resolution	202 dpi	
Label size(mm)	Width : 40~60, Length : 30~80	
Power	AC 100~240V, 50/60Hz	
Operating temperature	-10°C ~ +40°C	
Platter size(mm)	380(W) x 250(D)	
Dimensions(mm)	B Type : 409(W) x 441(D) x 180(H) P Type : 410(W) x 500(D) x 535.8(H)	
Product weight(kg)	B Type : 6.95, P Type : 7.65	

## Dimension





# CAS

CAS BLDG., 1315, YANGJAE-DAERO,  
GANGDONG-GU, SEOUL, KOREA  
TEL\_ 82 2 2225 3500  
FAX\_ 82 2 475 4668

Specifications are subject to change without notice improvement.

C-12209102