



# We Weigh The World

CAS PRODUCT CATALOG

ENGLISH

CAS

RETAIL WEIGHING SOLUTION™

# SW-II series

## Weighing & Counting Scale

As a simple weighing scale with a maximum of 1/30,000 resolution, SW-II is suitable in a variety of industrial environments, including traditional market, with its low body and ergonomics design.

Easy Grab Body



Rear Display



USB Port



USB



Scan with your smartphone to find more products



High Resolution for Weighing (Max. 1/30,000, Certificate 1/3,000 dual)

Easy Grab Body

USB Port for COMM. & Power

Rear Display for Customer

**CAS**  
www.globalcas.com

# SW-II series

## Weighing & Counting Scale



### FEATURE

- High Resolution for Weighing (Max. 1/30,000, Certificate 1/3,000 dual)
- Easy Grab Body
  - Ergonomics design with a low body and comfortable handling



- USB Port for COMM. & Power (Option)



- Rear Display for Customer (Option)



- Rechargeable Battery (Option)
  - A maximum of 1,000 hours when used with Mn or Pb battery together

### OPTION

- RS-232 (Print, Command)
- Rear Display
- Rechargeable Battery & Adaptor
- USB Port
- SUS Tray


### APPLICATION

- Open market, Farm, Industrial Environment

### SPECIFICATIONS

MODEL	SW2-03	SW2-06	SW2-15	SW2-30
Capacity	3kg	6kg	15kg	30kg
e (Non-Certi.)	0.5g, 0.2g, 0.1g	1g, 0.5g, 0.2g	2g, 1g, 0.5g	5g, 2g, 1g
e (Certi.)	0.5/1(g) Dual	1/2(g) Dual	2/5(g) Dual	5/10(g) Dual
Resolution	1/3,000 - 1/30,000	1/3,000 - 1/30,000	1/3,000 - 1/30,000	1/3,000 - 1/30,000
Display	6Digit LCD (115x39.5mm) & Back light (White)			
Symbols	STABLE, ZERO, TARE, g, kg, lb, oz, PCS, Low Battery HI / OK / LO			
Keys	ZERO, TARE, MODE, FUNCTION KEY, UNIT, HOLD			
Functions	Hold, Unit Conversion, Counting-Counting SampleRange:10-100,200,300,400,500 Weight Comparison Function : hi, ok, low / Sleep Mode Function			
Operation Time	Approx. D size Battery = 500hr Or Pb Battery = 450hr (Backlight off) Approximately 1,000 hours consecutively when equipped with Mn Battery and Pb Battery altogether			
Option	RS-232 (Print, Command), Rear Display Rechargeable Battery And Adaptor, USB Port, SUS Tray			
Power	1.5V x 3 units (D size Battery) or Pb battery 4V 4Ah or 6V Adapter			
Dimensions	245 (W) x 280(D) x 110(H)			
Platter Size	225(W) x 190 (D)			
Product Weight	2.44 kg			

### DIMENSION





# CAS

CAS BLDG., 1315, YANGJAE-DAERO,  
GANGDONG-GU, SEOUL, KOREA  
TEL\_ 82 2 2225 3500  
FAX\_ 82 2 475 4668

Specifications are subject to change without notice improvement.

C-12209102