

Semi Portable Truck Scale




HERCULES TS

HERCULES TS

Semi Portable Truckscale

Max capacity : 20 ton x 5 kg
Platform size : 2,4 x 4,8 m
Platform height : 21 cm



HERCULES TS is a semi-portable truckscale that can be installed without foundation with low height profile



Low height profile

With just approx. 21cm height, the vehicles don't need a lot of free clearance space to get into the truckscale



No foundation

No more hassle building foundations!
This means fast installation, easier maintenance and lower cost



BX1 indicator

Stainless steel casing indicator with many functions such as rechargeable battery, RS232 & time/date function

BALANZA


Features

- Low height profile (21cm)
- No foundation needed
- Requires less space to install
- Stainless-steel casing indicator
- Interface to PC or printer
- Loadcell protection from shock & side force
- Rechargeable battery



With just approx. 21cm height, the vehicles don't need a lot of free clearance space to get into the truckscale

Dimensions (Unit: mm)



No more hassle building foundations! This means fast installation, easier maintenance and lower cost



Stainless steel casing indicator with many functions such as rechargeable battery, RS232 & time/date function

Specifications

| | |
|-----------------|--|
| Capacity | 20ton x 5kg |
| Platform size | 2.4m x 4.8m |
| Platform height | 210mm |
| Loadcells Qty | 4 units |
| Ramp size | 1350mm x 800mm x 210mm (W x L x H) |
| Max tare | 100% of FS |
| Zero range | 4% of FS |
| Display | 1" Green LED (6 digits) |
| Designators | CHARGE, LOW BATT, STABLE, GROSS, NETT, TARE, ZERO, ct, oz, lb, kg, OVER, PASS, UNDER |
| Button keys | ON/OFF, ZERO, TARE, UNIT, TOTAL, PRINT |
| Power Source | 6VDC/3Ah rechargeable battery or 230VAC |
| Operating temp | -10°C – 40°C Humidity: 10% – 80% |



Optional "CALISTA" PC Software to store weighing records and print various report

HERCULES TS

