



Baging scale Type RPS brand 3A scale

Spesifikasi Timbangan bagging.

Model	: RPS 50A
Kapasitas	: 50kg
Ketelitian	: 20g
Error	: $\pm 0.10\%$ F.S
Kemampuan menimbang	: 300 kantong/jam
Sumber daya	: AC220V $\pm 10\%$, 50hz $\pm 2\%$
Tekanan udara	: 04-.08MPa
Konsumsi Gas	: 0.1m ³ /min
Suhu saat digunakan	: -20°C-40°C
Suhu penyimpanan	: ≤ 90 RH
Keseluruhan dimensi	: 720x680x2470mm
Panjang/tinggi	: 250cm
Lebar	: 69cm
Lebar ke belakang	: 73cm
Pneumetik	: SC 40x60N Total 4pcs SDAT 50/40x30x30x30 Total 1pcs

Conveyor

Panjang	: 195cm
Lebar	: 40cm
Tinggi	: 45cm(maksimal)

Tinggi tiang mesin jahit : 150cm



Baging scale Type MPS brand 3A scale

Spesifikasi Timbangan Semen/Mortal

Model	: MPS50A
Kapasitas	: 50kg
Ketelitian	: 20g
Error	: $\pm 0.10\%$ F.S
Kemampuan menimbang	: 300 kantong/jam
Sumber daya	: AC220V+10%~15%, 50Hz \pm 2% AC380V+ 10%~15%, 50Hz \pm 2%
Tekanan udara	: 04-.08MPa
Konsumsi Gas	: 0.1m ³ /min
Suhu saat digunakan	: -20°C+40°C
Suhu penyimpanan	: ≤ 90 RH
Keseluruhan dimensi	: 1050x890x1800mm
Panjang/tinggi	: 149cm
Lebar	: 69cm
Lebar ke belakang	: 110cm
Pneumatik	: 40x100 Total 5pcs 63x100 Total 1pcs
Dinamo	: 380V, 2.3Amper 3Phase 380V, 3.2 Amper 3Phase

Conveyor

Panjang	: 160cm
Lebar	: 40cm
Tinggi	: 20cm



